

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| L1 | 1 | 380/28.ccls. @ad<"20020104" (group with member with crypto\$10) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 08:58 |
| L2 | 34 | (173/180.ccls.) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 09:02 |
| S1 | 102 | ((Canard near2 Sebastien) or (Girault near2 Marc) or (Traore near2 Jacques)).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 09:38 |
| S2 | 1 | ((Canard near2 Sebastien) or (Girault near2 Marc) or (Traore near2 Jacques)).in. (crypto\$10 with group with member).dm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 09:39 |
| S3 | 1 | 380/28.ccls. @ad<"20020104" (group with member with crypto\$10) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 09:55 |
| S4 | 29 | "380"/\$.ccls. @ad<"20020104" (group with member with crypto\$10) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 09:56 |
| S5 | 1982 | (group with signature) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:35 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|-----|----|------------------|
| S6 | 10 | (group near signature)(group near3 (public and key))(group near3 (private adj key)) ((member or individual or user) near5 (private adj key)) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:37 |
| S8 | 1 | ("173"/\$.ccls.)(group signature) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:37 |
| S9 | 17 | ((group or anonymous) near signature)(group near5 (public and key))(group near5 (private adj key)) ((member or individual or user) near5 (private adj key)) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:46 |
| S11 | 7 | S9 not S6 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:47 |
| S12 | 407 | ((group or anonymous) near signature) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:52 |
| S13 | 43 | ((group or anonymous) near signature) (private adj key)(public adj key) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:53 |
| S14 | 47 | ((group or anonymous) near signature) ((private adj key)(public adj key) or (key near pair) or (asymmetric near key) or (RSA near key)) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:54 |

EAST Search History

| | | | | | | |
|-----|----|---|--|-----|----|------------------|
| S15 | 31 | ((group or anonymous) near signature) ((private adj key)(public adj key) or (key near pair) or (asymmetric near key) or (RSA near key)) ((member or user or individual) with group)@ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:55 |
| S16 | 14 | S15 not S9 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:55 |
| S17 | 4 | "726"/\$.ccls. @ad<"20020104" (group with member with crypto\$10) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/28 09:43 |
| S18 | 31 | "380"/\$.ccls. @ad<"20020104" ((group or anonymous) near signature) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/02 14:54 |
| S19 | 51 | ("380"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) @ad<"20020104" ((group or anonymous) near signature) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/02 14:55 |
| S20 | 35 | ("380"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) @ad<"20020104" ((group or anonymous) near signature)(group near5 key)((public or asymmetric) near key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/02 14:56 |
| S21 | 35 | ("380"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) @ad<"20020104" ((group or anonymous) near signature)(group near5 key)((public or asymmetric) near key)((private or secret) near key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/02 14:56 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|-----|----|------------------|
| S22 | 40 | @ad<"20020104" ((group or anonymous near signature)(group near5 key)((public or asymmetric near key)((private or secret) near key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/02 14:56 |
| S23 | 931 | ((group or anonymous or shar\$4) near (signature or signed or signing or sign)) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/02 16:31 |
| S24 | 64 | S23 ((private near3 key)(public near3 key) or (key near3 pair) or (asymmetric near3 key) or (RSA near3 key)) ((member or user or individual) with group) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/02 16:32 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| L1 | 1 | 380/28.ccls. @ad<"20020104" (group with member with crypto\$10) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 08:58 |
| L2 | 34 | (173/180.ccls.) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 09:02 |
| S1 | 102 | ((Canard near2 Sebastien) or (Girault near2 Marc) or (Traore near2 Jacques)).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 09:38 |
| S2 | 1 | ((Canard near2 Sebastien) or (Girault near2 Marc) or (Traore near2 Jacques)).in. (crypto\$10 with group with member).dm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 09:39 |
| S3 | 1 | 380/28.ccls. @ad<"20020104" (group with member with crypto\$10) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 09:55 |
| S4 | 29 | "380"/\$.ccls. @ad<"20020104" (group with member with crypto\$10) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 09:56 |
| S5 | 1982 | (group with signature) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:35 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|-----|----|------------------|
| S6 | 10 | (group near signature)(group near3 (public and key))(group near3 (private adj key)) ((member or individual or user) near5 (private adj key)) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:37 |
| S8 | 1 | ("173"/\$.ccls.)(group signature) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:37 |
| S9 | 17 | ((group or anonymous) near signature)(group near5 (public and key))(group near5 (private adj key)) ((member or individual or user) near5 (private adj key)) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:46 |
| S11 | 7 | S9 not S6 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:47 |
| S12 | 407 | ((group or anonymous) near signature) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:52 |
| S13 | 43 | ((group or anonymous) near signature) (private adj key)(public adj key) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:53 |
| S14 | 47 | ((group or anonymous) near signature) ((private adj key)(public adj key) or (key near pair) or (asymmetric near key) or (RSA near key)) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:54 |

EAST Search History

| | | | | | | |
|-----|----|---|--|-----|----|------------------|
| S15 | 31 | ((group or anonymous) near signature) ((private adj key)(public adj key) or (key near pair) or (asymmetric near key) or (RSA near key)) ((member or user or individual) with group)@ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:55 |
| S16 | 14 | S15 not S9 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/22 10:55 |
| S17 | 4 | "726"/\$.ccls. @ad<"20020104" (group with member with crypto\$10) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/03/28 09:43 |
| S18 | 31 | "380"/\$.ccls. @ad<"20020104" ((group or anonymous) near signature) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/02 14:54 |
| S19 | 51 | ("380"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) @ad<"20020104" ((group or anonymous) near signature) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/02 14:55 |
| S20 | 35 | ("380"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) @ad<"20020104" ((group or anonymous) near signature)(group near5 key)((public or asymmetric) near key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/02 14:56 |
| S21 | 35 | ("380"/\$.ccls. or "713"/\$.ccls. or "726"/\$.ccls.) @ad<"20020104" ((group or anonymous) near signature)(group near5 key)((public or asymmetric) near key)((private or secret) near key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/02 14:56 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|-----|----|------------------|
| S22 | 40 | @ad<"20020104" ((group or anonymous near signature)(group near5 key)((public or asymmetric near key)((private or secret) near key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/02 14:56 |
| S23 | 931 | ((group or anonymous or shar\$4) near (signature or signed or signing or sign)) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/02 16:31 |
| S24 | 64 | S23 ((private near3 key)(public near3 key) or (key near3 pair) or (asymmetric near3 key) or (RSA near3 key)) ((member or user or individual) with group) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/02 16:32 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|---------------------|
| S1 | 103 | ((Canard near2 Sebastien) or (Graulat near2 Marc) or (Traore near2 Jacques)).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 09:47 |
| S2 | 1 | ((Canard near2 Sebastien) or (Graulat near2 Marc) or (Traore near2 Jacques)).in. (crypto\$10 with group with member).clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 09:47 |
| S3 | 2 | 380/28.ccls. @ad<"20020104" ((group or team) with (member or subscriber) with (crypto\$10 or signature or sign or signed or signing)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 09:48 |
| S4 | 4 | 380/28.ccls. @ad<"20020104" (group near3 signature) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 09:49 |
| S5 | 79 | "380"/\$.ccls. @ad<"20020104" (group near3 signature) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 09:49 |
| S7 | 60 | "380"/\$.ccls. @ad<"20020104" (group near3 signature)((public or asymmetric) near2 key)((private or secret) near key) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 09:50 |
| S8 | 29 | "380"/\$.ccls. @ad<"20020104" (group near3 signature)(public near2 key) ((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 09:52 |
| S9 | 33 | 713/180.ccls. @ad<"20020104" (group near3 signature) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 10:20 |

| | | | | | | |
|-----|----|---|---|-----|----|---------------------|
| S10 | 12 | 713/180 ccls. @ad<"20020104" (group near3 signature)(public near2 key) ((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 10:20 |
| S11 | 42 | "713"/\$.ccls. @ad<"20020104" (group near3 signature)(public near2 key) ((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 10:22 |
| S12 | 40 | "713"/\$.ccls. @ad<"20020104" (group near3 signature)(public near2 key) ((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))(encrypt\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 10:22 |
| S13 | 7 | "726"/\$.ccls. @ad<"20020104" (group near3 signature)(public near2 key) ((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))(encrypt\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 11:05 |
| S14 | 46 | @ad<"20020104" (group near3 signature)(public near2 key) ((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))(encrypt\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 11:33 |
| S15 | 46 | @ad<"20020104" (group near3 signature)((public or asemmetric) near2 key)((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))(encrypt\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 11:33 |
| S16 | 46 | @ad<"20020104" (group near3 signature)((public or asemmetric) near2 key)((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))(encrypt\$4)(date or time or stamp) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 12:49 |

| | | | | | | |
|-----|----|---|---|-----|----|---------------------|
| S17 | 31 | @ad<"20020104" (group near3 signature)((public or asemmetric) near2 key)((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))(encrypt\$4)(date or time or stamp)(revok\$4 or delet\$4 or leav\$4 or left) | US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 12:50 |
| S18 | 12 | @ad<"20020104" (group near3 signature)((public or asemmetric) near2 key)((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))(encrypt\$4)(date or time or stamp)(revok\$4 or delet\$4 or leav\$4 or left)(join\$4 with group) | US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 12:50 |
| S20 | 8 | ((group or anonymous) near3 signature)((public or asemmetric) near2 key)((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))(encrypt\$4 with secret with key)(date or time or stamp)(revok\$4 or delet\$4 or leav\$4 or left)(join\$4 with group)@ad<"20020104" | US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 13:21 |
| S21 | 9 | ((group or anonymous) near3 signature)((public or asemmetric) near2 key)((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))(encrypt\$4 with secret with key)((date or time or (time \$2stamp)))(join\$4 with group)@ad<"20020104" | US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 13:23 |
| S22 | 47 | @ad<"20020104" ((group or anonymous) near3 signature)(public near2 key)((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))(encrypt\$4) | US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 13:23 |
| S23 | 37 | ((group or anonymous) near3 signature)(public near2 key)((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))(encrypt\$4 with (secret or private) with key))@ad<"20020104" | US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 13:25 |

| | | | | | | |
|-----|----|---|---|-----|----|---------------------|
| S24 | 18 | ((group or anonymous) near3 signature)(public near2 key)((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))((encrypt\$4 with (secret or private) with key))(common near5 key) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 14:22 |
| S25 | 5 | ((group or anonymous) near3 signature)(public near2 key)((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))((encrypt\$4 with (secret or private) with key))(common near5 private near5 key) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 14:24 |
| S26 | 17 | ((group or anonymous) near3 signature)(public near2 key)((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))((encrypt\$4 with (secret or private) with key))(certificate near5 (time\$2stamp or time or date)) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 14:35 |
| S27 | 2 | ((group or anonymous) near3 signature)(public near2 key)((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))((encrypt\$4 with (secret or private) with key))(certificate near5 (time\$2stamp)) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 14:37 |
| S28 | 0 | ((group or anonymous) near3 signature)(public near2 key)((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))(certificate near5 (time \$2stamp))(certificate with (name or id or identifier) with group) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 14:38 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| S29 | 1 | ((group or anonymous) near3 signature)(public near2 key) ((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))(certificate near5 (time \$2stamp))(certificate with (name or id or identifier) same group) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 14:39 |
| S30 | 1 | ((group or anonymous) near3 signature)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing)) (certificate near5 (time\$2stamp)) ((certificate or X?509)with (name or id or identifier) same group) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 14:40 |
| S31 | 3 | (public near2 key)((private or secret) near key)((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing)) (certificate near5 (time\$2stamp)) (certificate with (name or id or identifier) same group) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 14:40 |
| S32 | 132 | 713/163.ccls. (@ad<"20020104") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 17:32 |
| S33 | 12 | 713/163.ccls. (@ad<"20020104") ((group or anonymous) near5 signature) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 17:32 |
| S34 | 204 | (public near2 key)((private or secret) near key)((group or team or company) with (member or subscriber or user or client) with (signature or sign or signed or signing)) @ad<"20020104" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 17:59 |
| S35 | 3 | (public near2 key)((private or secret) near key)((group or team or company) with (member or subscriber or user or client) with (signature or sign or signed or signing)) (certificate near5 (time \$2stamp or (time adj stamp))) (certificate with (name or id or identifier) same group) (@ad<"20020104") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/03 18:00 |

| | | | | | | |
|-----|----|---|---|-----|----|---------------------|
| S36 | 52 | ((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))((group or anonymous) near3 signature)(public near2 key) ((private or secret) near key) (@ad<"20020104") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/05 10:06 |
| S37 | 37 | ((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))((group or anonymous) near3 signature)(public near2 key) ((private or secret) near key) (encrypt\$4 with (private or secret or symmetric) with key) (@ad<"20020104") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/05 10:07 |
| S38 | 22 | ((group or team or company) with (member or subscriber or user) with (signature or sign or signed or signing))((group or anonymous) near3 signature)(public near2 key) ((private or secret) near key) (encrypt\$4 with (private or secret or symmetric) with key)(\$6card) (@ad<"20020104") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/05 10:08 |
| S39 | 23 | ((member or subscriber or user or client) with (signature or sign or signed or signing) with (group or team or company or division or department))((group or anonymous) near3 signature)(public near2 key) ((private or secret) near key) (encrypt\$4 with (private or secret or symmetric) with key)(\$6card) (@ad<"20020104") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | ON | 2008/04/05 10:10 |

4/ 5/ 2008 10:14:18 AM

C:\Documents and Settings\lpham7\My Documents\EAST\Workspaces\10\10-500-792.wsp